



Sands Agricultural Machinery Ltd

have been involved in the application of agrochemicals since the 1960s and have been designing and building self-propelled crop sprayers since 1975. This has given the Company a wealth of knowledge and experience that enables them to produce high specification machines to satisfy the demands of today's farmers and growers.

The latest Horizon range of self-propelled crop sprayers has been designed to offer maximum in-field performance with the highest level of operator comfort. Available in five model sizes, these technically advanced sprayers have been developed in house by Sands and have incorporated numerous 'operator' led features. This has made the Horizon a true drivers' machine, with the impressive cab layout allowing for long days spraying without excessive fatigue.

All the components used in manufacture have been carefully selected for quality, reliability and durability to ensure minimum downtime and maximum output.



In upgrading our sprayer we found that the Sands offered the better package given the wet spring. It has performed over expectation with a light footprint, tighter turning enabling us to travel when others have been struggling Sam Stephenson, Wandale Farm, Yorkshire.

Horizon 3000 Specifications

Engine:	140kw-188hp
Fuel Tank Capacity:	280 Litres
Drive System:	Poclain Easy Driv System
Brakes:	Front Dynamic B Brakes
Park Brake:	Rear Park Brake
Emergency Foot Brake:	Optional
Hydraulics:	Load Sense Hydraulic System

	Height:
	Length:
	Width:
sted	Working Weight (24M):
	Turning Circle:
	Axle Adjustment:
	Underbelly
	Clearance:
	Road Speed:
	Tank Capacity:

3.65M (380/85 R30) Boom: 7.8 Tonnes (Approx)

7.74M

2.9M

6M

68"-80" 970MM 0 - 45kph 3000 Litres Spray Pump: 300 lpm Dual Speed Spray Lines:

Options:

Options:

Circulation **Rowcrop Wheel** R34 **Flotation Wheel** R30

12M - 24M 19mm Stainless Steel With Triplet Nozzle Bodies, Automatic Prime & Purge Re-380/85 R30 - 380/85 600/60 R28 - 600/60

Sands are major exporters of selfpropelled sprayers to many parts of the globe. The map shows areas where our sprayers have been exported to, please contact us for details of our overseas representatives.





- Boom Levelling
- Sands VG Boom Upgrade
- 2" Fast Fill Port
- Simple Infill Water System
- Blue Boom Lights & Mixing Hopper Light
- End Jets (Cab Controlled)

Horizon 3000 Options

- Global Positioning System (GPS)
- Electric or Hydraulic Steering Kits
- Twin Lines (Duo-React 4+1)
- 2" Hydraulic Fast Fill Pump
- 400 lpm Pump Upgrade (Dual Speed)

- High Power Pressure Washer
- Simple Washdown System
- Side Mounted 25 Litre Mixing Hopper
- Front Mounted Slug Applicators
- Dual Ride Suspension
- Automatic Headland Boom Lift
- Drawbar
- Mudguard Extensions
- Tank Rack
- Extra Strobe Lights for Road Use
- Forklift Point For Wheel Change
- Reversing Camera



Horizon 4000



Horizon 4000E



Horizon 5500



Horizon 6000



The Horizon 4000 litre capacity offers the user high in field performance without the excessive weight of other similar capacity machines. When fitted with a 24m boom unladen weight is a class leading 8.2t. This enables it to cover the ground lightly in the wetter seasons when fitted with flotation wheels. On rowcrop wheels underbelly clearance is a minimum 1000mm reducing crop damage and aiding visibility in tall crops.

Front dynamic brakes are a standard feature giving improved stopping performance on the road and extra security when working in steep fields.

The 'E' variant with its low overall height is especially suitable for those working on extreme slopes. When fitted with the optional 'Smart Drive Traction Control' the 'E' is probably the most stable and safest machine for tackling the worst of conditions.

The largest capacity Horizon boasts a payload of 6000 litres. Powered by the Deutz TCD 6.1 engine (242hp) and now driving through the larger Poclain motors the 6000 is capable of extremely high outputs.

As befits a machine of this capacity full dynamic braking on all wheels is standard, together with the Premier Plus Drive system which automatically changes wheel motor displacements as speed increases. An in-field cruise control function is a standard feature ensuring a more constant spraying speed and thus a more uniform spray quality.

Specifications

	Horizon	4000	4000
	Engine:	160kw-214hp	160kw-2
	Fuel Tank Capacity	280 Litres	280 Li
	Drive System:	Poclain Easy Drive System	Poclain Easy D
			2,895
	Brakes:	Front Dynamic Boosted Brakes	Front Dy Boosted
	Park Brake:	Front Park Brake	Front Park
	Emergency Foot Brake:	Standard	Stand
	Hydraulics:	Load Sense Hydraulic System	Load S Hydraulic
	Height:	3.75M (380/85 R34)	3.75M (380
	Length:	7.25M	8.5
	Width:	2.9M	2.91
	Working Weight (24	4M): 8.2 Tonnes (Approx)	8.4 Tonnes
	Turning Circle:	7M	8.5
	Axle Adjustment:	68"-80" & 72"-84"	68"-80" &
	Underbelly Clearar	nce: 1.02M (380/85 R34)	1.02M (380
	Road Speed:	0 - 45kph	0 - 45
	Tank Capacity:	4000 Litres	4000 L
	Spray Pump:	300 Ipm Dual Speed	300 lpm Du
	Boom:	12M - 40M	12M - 4
	Spray Lines:	19mm Stainless Steel With Tripl	
The.	Rowcrop Wheel Options:	380/85 R34 - 420/85 R34	380/85 I 420/85
	Flotation Wheel Options:	600/60 R30 - 600/60 R34 - 710/55 R30	600/60 600/60 R34 -
	- /		

TOPIZOF

0E

214hp

namic Brakes k Brake lard

ense System)/85 R34)

(Approx) 72"-84")/85 R34) kph itres

ual Speed 40M R34 -`

R34 R30 -

710/55 R30

5500

180kw-242hp 280 Litres with Cruise Control **Dynamic Brakes** on all 4 Wheels Front Park Brake Standard

Load Sense Hydraulic System 3.9M (420/85 R34) 8.5M 2.9M 8.7 Tonnes (Approx) 8.5M 68"-80" & 72"-84" 1.07M (420/85 R34) 0 - 45kph 5500 Litres 300 lpm Dual Speed 12M - 40M olet Nozzle Bodies, Automatic Prime & Purge Re-Circulation 380/85 R34 (24m) -420/85 R34 600/60 R34 -710/55 R30

6000

180kw-242hp 280 Litres Drive System Poclain Easy Drive System Poclain Easy Drive System with Cruise Control **Dynamic Brakes** on all 4 Wheels Front Park Brake Standard

> Load Sense Hydraulic System 3.9M (420/85 R34) 8.5M 2.9M 8.8 Tonnes (Approx) 8.5M 68"-80" & 72"-84" 1.07M (420/85 R34) 0 - 45kph 6000 Litres 300 lpm Dual Speed 12M - 40M 420/85 R34

> > 600/60 R34 -710/55 R30

reliability. Featuring an all new 'sprayer specific' panoramic cab with category 4 filtration, the Horizon is capable of allowing the operator to

achieve high daily outputs with the minimum of fatigue. Designed from the outset to offer the highest levels of comfort, ease of use and visibility together with class leading low noise levels. The result is the ultimate for a selfpropelled sprayer.

David Ullvott.

Bapton Manor Farm Ltd, Wiltshire



We are highly delighted with every aspect of our Sands Horizon

5500, from the comfortable, ergonomic cab and the efficiencies


afforded by a high capacity machine to the knowledge that, if

required, we will get rapid, knowledgeable back up from the

team in Norfolk. A truly fantastic all round package!











Standard features

- Permanent hydrostatic four wheel drive
- Intelligent four wheel steer
- Single hydrostatic drive pump with torque split capability
- Full hydraulic suspension with Dual Ride option
- 24m gullwing boom (booms up to 40m are available)
- Single sprayline with triplet nozzles and prime and purge re-circulation
- Clean water rinse tank
- Stainless steel induction hopper with can wash and rinse ring
- Hand wash and clothing locker

Extra storage boxes either side

Panoramic Category 4 Cab Standard

Features - Internal and External

• Twin amber beacons

• Air take off point

- Electric adjustable and heated mirrors
- HID work lights front and rear 4 + 4
- Auto rate controller
- Indicators on joystick when in road mode
- Digital climate control
- Rear view camera

- Removable fridge unit
- Grammer, high back air seat with electronic lumbar support
- Training seat
- Electric joystick with illuminated buttons indicating main on/off and sections selected
- Wide opening full glass door
- Sunblinds front and rear
- Bluetooth DAB radio/CD with USB connection
- Underseat storage
- Easy access to cab filter
- USB charging point

Options

- Global Positioning System (GPS)
- Electric Or Hydraulic Steering Kits
- Boom Levelling
- Sands VG Boom Upgrade
- All Boom Sizes
- Twin Lines (Duo-React 4+1)
- 2" Hydraulic Fast Fill Pump
- 3" Hydraulic Fast Fill Pump
- 2" Fast Fill Port
- 400 lpm Pump Upgrade (Dual Speed)

- Simple Infill Water System

- End Jets (Cab Controlled)
- High Power Pressure Washer
- Simple Washdown System
- Side Mounted 25 Litre or 50 Litre Mixing Hopper
- Front Mounted Slug Applicators
- Dual Ride Suspension

The all new range of Horizon high performance sprayers majors on operator comfort, quality and

The use of twin curved rear screens with a central support has removed the corner pillars giving an unimpeded view to the booms. An all new armrest console and joystick together with tactile and illuminated electric switches and spool controls has been ergonomically designed for ease of use.



- Electric Water System (2" OR 3")
- Blue Boom Lights & M. Hopper Light

- Automatic Headland Boom Lift
- Drawbar
- Mudguard Extensions
- Tank Rack
- Extra Strobe Lights for Road Use
- Smart Drive Traction Control System
- Forklift Point For Wheel Change
- Hydraulic Sliding Axles (68"-84")
- Hydraulic Sliding Axles (72"-108")
- Electric "e" Taps

Our promise to you...

A traditional family business providing a complete design and build service



Customer meeting





Built to specification

We have been dealing with Sands for nearly 30 years and they sure know how to look after us in Scotland! The Horizon model has taken our farm to another level with precision spraying and just loves eating up our very steep hills.

Haig Hamilton, J Haig Hamilton & Sons, Scotland

Just finished an 18 hour stretch on the Sands 36 mtr Horizon and I can honestly say if I didn't need to sleep, I could carry on and do another 18 hours. Cracking machine, a joy to operate.

Scott Harrod E.G. Harrison, Norfolk



After care - servicing



Main Road, Brunstead, Stalham, Norwich, Norfolk NR12 9ER Tel: +44 (0)1692 580522 • Email: sales@samltd.co.uk • www.samsprayers.co.uk